

# Let's start - SOLARC!

## Price List

Valid from

15.07.2009

Article Code	Article Description	Info	Price RRP	Net Price / quantity scale - EUR			
				1 pcs	5 pcs	10 pcs	25 pcs
<b>scottyPro &amp; e.GO! - the solar mobile universal charger</b>							
20001	scottyPro blue transparency		39,90	33,53	31,85	30,18	26,82
20013	scottyPro white		39,90	33,53	31,85	30,18	26,82
20002	e.GO! Fun		99,90	83,95	79,75	75,55	67,16
20003	e.GO! Master		134,90	113,36	107,69	102,03	90,69
20004	e.GO! Professional		199,90	167,98	159,58	151,18	134,39
<b>cable &amp; plugs see price list cable &amp; plugs</b>							
<b>scottyPro &amp; e.GO! - accessories</b>							
22000	AAA adapter (2 pcs) Micro-cells (AAA) may be charged in the AA battery case.		7,95	6,68	6,35	6,01	5,34
22022	Batterie converter AA to C (4 pcs) Accus or batteries (AA Mignon) in converter use and one receive a C-baby-battery.		4,95	4,16	3,95	3,74	3,33
22023	Batterie converter AA to D (4 pcs) Accus or batteries (AA Mignon) in converter use and one receive a D-mono-battery.		6,95	5,84	5,55	5,26	4,67
22007	Cable connector solar booster e.GO! Fun/Master		14,95	12,56	11,93	11,31	10,05
22008	Cable connector solar booster e.GO! Professional		19,90	16,72	15,89	15,05	13,38
21029	Y cable for solar booster e.GO!		7,95	6,68	6,35	6,01	5,34
22002	Power supply e.GO! 4W (4V / 1A) e.GO! Fun/Master could be charged with the mains adapter.		12,95	10,88	10,34	9,79	8,71
22003	Power supply e.GO! 8W (5V / 1.7A) e.GO! Fun/Master/Professional could be charged with the mains adapter.		16,95	14,24	13,53	12,82	11,39
22020	Power supply e.GO! 4W (4V / 1A) with 4 different mains adapter (GB, Europe, USA, Australia/Japan) e.GO! Fun/Master could be charged with the mains adapter.		14,95	12,56	11,93	11,31	10,05
22021	Power supply e.GO! 8W (5V / 1.7A) with 4 different mains adapter (GB, Europe, USA, Australia/Japan) e.GO! Fun/Master/Professional could be charged with the mains adapter.		18,95	15,92	15,13	14,33	12,74
22004	Solar booster e.GO! Fun/Master incl. cable connector		69,95	58,78	55,84	52,90	47,03
22005	Solar booster e.GO! Professional incl. cable connector		79,95	67,18	63,83	60,47	53,75
22006	Upgrademodule e.GO! Fun to e.GO! Master		34,95	29,37	27,90	26,43	23,50
22009	Protection cover e.GO! Master/Professional		12,95	10,88	10,34	9,79	8,71
22015	Booster-adapter scottyPro		7,95	6,68	6,35	6,01	5,34
22016	Solar booster module 0.95W scottyPro incl. booster-adapter		27,95	23,49	22,31	21,14	18,79
22017	Solar booster module 1,1W scottyPro incl. booster-adapter & cable connector		57,95	48,70	46,26	43,83	38,96
22018	Power supply scottyPro incl. booster-adapter		14,95	12,56	11,93	11,31	10,05
<b>Accus</b>							
74005	Accu 1700 NiMH - 1700mAh / 1.2V / mignon (2 pcs AA)	sale	5,95	5,00	4,75	4,50	4,00
74006	Accu 2100 NiMH - 2100mAh / 1.2V / mignon (2 pcs AA)	sale	6,95	5,84	5,55	5,26	4,67
74003	Accu 2700 NiMH - 2700mAh / 1.2V / mignon (2 pcs AA)		9,95	8,36	7,94	7,53	6,69
74004	Accu 1000 NiMH - 1000mAh / 1.2V / micro (2 pcs AAA)		7,95	6,68	6,35	6,01	5,34
74002	Accu 1800 Li-Ion - 1800mAh / 3.7V / NP120		19,90	16,72	15,89	15,05	13,38
<b>SoLait<sup>100</sup> - the solar milk frother</b>							
10102	SoLait <sup>100</sup> white		29,90	25,13	23,87	22,61	20,10
10111	SoLait <sup>100</sup> blue		29,90	25,13	23,87	22,61	20,10
11111	SoLait <sup>100</sup> clear transparency		29,90	25,13	23,87	22,61	20,10
10113	SoLait <sup>100</sup> blue transparency		29,90	25,13	23,87	22,61	20,10
10114	SoLait <sup>100</sup> red transparency		29,90	25,13	23,87	22,61	20,10
15000	Power supply SoLait <sup>100</sup>	)*1 see Info	9,95	8,36	7,94	7,53	6,69
Info)*1	Works only with SoLait <sup>100</sup> with input jack.						

# Let's start - SOLARC!

		149,90	125,97	119,67	113,37	100,77
<b>Online Shop</b>	<b>Solar bags &amp; accessories</b>					
	Solar bag M charging electronic iSolarX Version 2 converter, cable USB to Nokia, plugs (Mini USB, Nokia N-Serie, iPod, SonyEricsson K750), ca. 370x270x90mm	Versions in the Online Shop 2-3 weeks				
<b>Online Shop</b>	Solar cover for solar bag M	Versions in the Online Shop 2-3 weeks	69,90	58,74	55,80	52,87
<b>Online Shop</b>	Solar bag SunTop charging electronic iSolarX Version 2 converter, cable USB to Nokia, plugs (Mini USB, Nokia N-Serie, iPod, SonyEricsson K750), ca. 310x280x160mm	Versions in the Online Shop 6-8 weeks	259,90	218,40	207,48	196,56
<b>Online Shop</b>	Solar bag Skywise charging electronic iSolarX Version 2 converter, cable USB to Nokia, plugs (Mini USB, Nokia N-Serie, iPod, SonyEricsson K750), ca. 400x380x150mm	Versions in the Online Shop 6-8 weeks	289,90	243,61	231,43	219,25
<b>20018</b>	iSolarX kit charging electronic iSolarX Version 2 converter, cable USB to Nokia, solar module ASM2.100flex with cable, plugs (Mini USB, Nokia N-Serie, iPod, SonyEricsson K750)	1-3 weeks	99,90	83,95	79,75	75,55
<b>20021</b>	iSolarX kit special charging electronic iSolarX Version 2 converter, cable USB to Nokia, solar module ASM2.100flex with fabric edge and cable, plugs (Mini USB, Nokia N-Serie, iPod, SonyEricsson K750)	2-5 weeks	118,90	99,92	94,92	89,92
<b>21025</b>	Cable iSolarX - USB to Nokia	1-3 weeks	9,95	8,36	7,94	7,53
<b>21027</b>	Charger cable iSolarX - PC to charging electronic iSolarX	1-3 weeks	9,95	8,36	7,94	7,53
<b>22019</b>	Power supply iSolarX 5V/0.8A	1-3 weeks	14,95	12,56	11,93	11,31
<b>20016</b>	Charging electronic iSolarX Version 2 5V/6V USB output / 4.5V input / solar module until 1Wp / without converter	1-3 weeks	69,90	58,74	55,80	52,87
<b>20017</b>	Charging electronic iSolarX Version 2 converter 5V/6V USB output / 3V - 4.5V input / solar module until 1Wp / with converter	1-3 weeks	74,90	62,94	59,79	56,65
	<b>Lamps</b>					
<b>20008</b>	Solar camping LED luminaire		99,90	83,95	79,75	75,55
<b>24005</b>	Solar LED mini-pocket-lamp "Skylight" comfort		22,90	19,24	18,76	18,28
<b>24006</b>	Solar LED mini-pocket-lamp "Skylight" steel		29,90	25,13	24,50	23,87
	<b>MacSolar - the solar measuring device</b>					
<b>30000</b>	MacSolar (full version)		329,90	277,23	263,37	249,50
<b>30001</b>	MacSolar E (simple version)		209,90	176,39	167,57	158,75
<b>30002</b>	MacSolar Sensor (sensor version)	on request	229,90	193,19	183,53	173,87
<b>31001</b>	MacSolar Certificate (not for MacSolar E)	3-4 weeks	239,90	201,60	201,60	201,60
<b>31002</b>	MacUSB - USB to RS232 converter		19,90	16,72	15,89	15,05
<b>31003</b>	MacView 1.0		199,90	167,98	159,58	151,18
<b>31004</b>	MacView update SLMView		119,90	100,76	95,72	90,68
<b>31005</b>	MacSolar interface cable		39,90	33,53	31,85	30,18
<b>31006</b>	MacView additional licence		129,90	109,16	103,70	98,24
<b>31007</b>	MacSolar bow + holder + knurled screw		21,90	18,40	17,48	16,56
	<b>CarSolar - solar charger module for cars</b>					
<b>20005</b>	CarSolar - solar charger module incl. electronics		109,90	92,35	87,74	83,12
<b>22010</b>	CarSolar solar module - additional solar charger module		99,90	83,95	79,75	75,55
	<b>Solar article</b>					
<b>24001</b>	Solar radio-controlled alarm-clock silver/white (Radio signal - reach of approx. 1800 km in the vicinity around Frankfurt / Main)		40,90	34,37	33,51	32,65
<b>24002</b>	Solar radio-controlled alarm-clock silver/black (Radio signal - reach of approx. 1800 km in the vicinity around Frankfurt / Main)		40,90	34,37	33,51	32,65
<b>24003</b>	Solar radio-controlled alarm-clock green/white (Radio signal - reach of approx. 1800 km in the vicinity around Frankfurt / Main)		40,90	34,37	33,51	32,65
<b>24004</b>	Solar frog		15,00	12,61	12,29	11,97
	<b>Solar mobile charger - flexcell®</b>					
<b>24007</b>	SP7W - Sunpack 7W 7Wp / 15V* / 0.45A* - 350xØ55mm resp. 350x900, D <sub>Modul</sub> = 1.2mm - T <sub>u</sub> = -20 bis +60°C - 500g	on request	153,90	129,33	126,09	122,86
<b>24008</b>	SP14W - Sunpack 14W 14Wp / 15V* / 0.90A* - 350xØ65mm resp. 350x1500, D <sub>Modul</sub> = 1.2mm - T <sub>u</sub> = -20 bis +60°C - 740g	on request	224,90	188,99	184,27	179,54
<b>24009</b>	SS07W - Sunslick 7W 7Wp / 15V* / 0.450A* - 350x695, D <sub>Modul</sub> = 1.2mm - T <sub>u</sub> = -20 bis +60°C - 480g	on request	117,90	99,08	96,60	94,12
<b>24010</b>	SS14W - Sunslick 14W 14Wp / 15V* / 0.90A* - 350x1310, D <sub>Modul</sub> = 1.2mm - T <sub>u</sub> = -20 bis +60°C - 900g	on request	236,90	199,08	194,10	189,12
<b>24011</b>	SS27W - Sunslick 27W 27Wp / 15V* / 1.80A* - 642x1310, D <sub>Modul</sub> = 1.2mm - T <sub>u</sub> = -20 bis +60°C - 1500g	on request	355,90	299,08	291,60	284,12
<b>24012</b>	SB07W - Sunboard 7W 7Wp / 15V* / 0.450A* - 350x695, D <sub>Modul</sub> = 2mm - T <sub>u</sub> = -20 bis +60°C - 720g	on request	105,90	88,99	86,77	84,54
<b>24013</b>	SB14W - Sunboard 14W 14Wp / 15V* / 0.90A* - 350x1305, D <sub>Modul</sub> = 2mm - T <sub>u</sub> = -20 bis +60°C - 1500g	on request	177,90	149,50	145,76	142,02
<b>24014</b>	SB27W - Sunboard 27W 27Wp / 15V* / 1.80A* - 642x1305, D <sub>Modul</sub> = 2mm - T <sub>u</sub> = -20 bis +60°C - 2900g	on request	296,90	249,50	243,26	237,02
	* solar radiation (AM1.5) 1000 W/m², module temperature 25 degrees celsius					

# Let's start - SOLARC!

## Solar modules - crystalline\*

43015	CSM8.004 0.004Wp / 4.1V / 0.098A - PU resin on base plate - 29x18x1.2mm	on request	11,95	10,04	9,54	9,04	8,03
43003	CSM8.055 0.55Wp / 3.9V / 0.143A - epoxy resin on base plate - 88x55x2.5mm	on request	11,95	10,04	9,54	9,04	8,03
43021	CSM8.095 with cable + plug (3.5/1.35) 0.95Wp / 3.9V / 0.242A - epoxy resin on base plate - 120x90x3mm	on request	19,95	16,76	15,93	15,09	13,41
43004	CSM8.110 1.12Wp / 3.9V / 0.285A / poly-Si-epoxy resin on base plate, UV protected - 143x70x3mm	on request	19,40	16,30	15,49	14,67	13,04
43005	CSM8.120 1.2Wp / 3.9V / 0.305A / mono-Si-epoxy resin on base plate, UV-protected - 143x70x3mm	on request	21,30	17,90	17,00	16,11	14,32
43006	CSM8.150b 1.5Wp / 3.9V / 0.39A - impact-resistant polycarbonate case / screwing cathedrals optional - 202x53x2.3mm	on request	33,60	28,24	26,82	25,41	22,59
43007	CSM8.150 1.5Wp / 3.9V / 0.39A - impact-resistant polycarbonate case / screwing cathedrals optional - 210x76x6mm	on request	44,00	36,97	35,13	33,28	29,58
43008	CSM10.147 1.47Wp / 4.8V / 0.306A - front glass / tedlar without edge edging - 250x72x4.5mm	on request	23,50	19,75	18,76	17,77	15,80
43019	CSM36.620 6.2 Wp / 16.8V / 0.37A - front glass on base plate - 269x239x3mm	on request	79,90	67,14	63,79	60,43	53,71
	* solar radiation (AM1.5) 1000 W/m <sup>2</sup> , module temperature 25 degrees celsius Other solar modules - crystalline on request. Small quantity are usually in stock, bigger quantity on demand.	Info					

## Solar modules - thin layer\*

44010	ASM2.100flex 1Wp / 3.3V / 300mA - foil / tedlar - 197x102x1,5mm	on request	24,95	20,97	19,92	18,87	16,77
44013	ASM 1.050flex 0.5Wp / 1.5V / 400mA - foil / tedlar - 197x60x1,5mm	on request	16,95	14,24	13,53	12,82	11,39
44002	ASM4.013 0.13Wp / 4.8V / 26.8mA - front glass / protective lacquer without edge edging - 88.7x30.3x2.3mm	on request	6,40	5,38	5,11	4,84	4,30
44004	ASM600 4.0Wp / 14.2V / 250mA - front glass / protective foil without edge edging - 231x276x3,2mm	on request	69,90	58,74	55,80	52,87	46,99
	* solar radiation (AM1.5) 1000 W/m <sup>2</sup> , module temperature 25 degrees celsius Other solar modules - thin layer on request. Small quantity are usually in stock, bigger quantity on demand.	Info					

## Charge regulator / Converter

40001	Charge regulator SCC20-12-LTEP charge regulator for Pb acid and Pb gel accumulators / open assembly / clamps / short circuit protection / charge control by a blinking LED / 38x38x20mm / solar modules 0.5-30Wp / 17V - accumulator 12V - burden 5A - self-consumption 90µA	1-6 weeks	45,10	37,90	34,11	30,32	26,53
40002	Converter DCC14 DC/DC transducer with charge regulator Pb gel accumulators / open assembly / clamps / 80x70x14mm / solar modules 3-30Wp / 3.9V - accumulator 12V	1-6 weeks	105,50	88,66	79,79	70,92	62,06
40003	Converter DCC2 DC/DC transducer with charge regulator Pb gel accumulator / open assembly / cable connection / 45x30x20mm / solar modules 0.3-3Wp / 3.9V - accumulator 12V	1-6 weeks	37,90	31,85	28,66	25,48	22,29
40005	Light control SLS1 Light control for LEDs complete with charge regulator / open assembly / clamps / 48x45x22mm / solar modules 0.3-15Wp / 3.9V - 2x accumulator NiMH / 2 - 12 x LED (all colors) other charge regulator and converter on request	1-6 weeks	77,90	65,46	58,92	52,37	45,82
		Info					

## Charge controller Phocos

41000	CA06 - solar charge regulator - 12V 5/6A V2 - 80x100x32mm	1-2 weeks	21,30	17,90	17,00	16,11	15,21
41001	CA08 - solar charge regulator - 12V 8/8A V2 - 89x100x32mm	1-2 weeks	25,80	21,68	20,60	19,51	18,43
41022	CA10 - solar charge controller - 12V 10/10A V2	1-2 weeks	28,10	23,61	22,43	21,25	20,07
41023	CA14 - solar charge controller - 12V 14/14A V2	1-2 weeks	30,50	25,63	24,35	23,07	21,79
41002	CM04 - charge controller - 4A - 57x71x27mm	1-2 weeks	12,00	10,08	9,58	9,08	8,57
41003	CML05 - solar charge controller - 12/24V 5/5A V2 - 80x100x32mm	1-2 weeks	25,90	21,76	20,68	19,59	18,50
41004	CML10 - solar charge controller - 12/24V 10/10A V2 - 80x100x32mm	1-2 weeks	38,60	32,44	30,82	29,19	27,57
41005	CML15 - solar charge controller - 12/24V 15/15A V2 - 80x100x32mm	1-2 weeks	50,70	42,61	40,47	38,34	36,21
41006	CML20 - solar charge controller - 12/24V 20/20A - 80x100x32mm	1-2 weeks	62,70	52,69	50,05	47,42	44,79
41016	CML05NL - solar charge controller with nightlight function 12/24V 5/5A - 80x100x32mm	1-2 weeks	30,20	25,38	24,11	22,84	21,57
41017	CML10NL - solar charge controller with nightlight function 12/24V 10/10A - 80x100x32mm	1-2 weeks	42,90	36,05	34,25	32,45	30,64
41018	CML15NL - solar charge controller with nightlight function 12/24V 15/15A - 80x100x32mm	1-2 weeks	54,90	46,13	43,83	41,52	39,21
41019	CML20NL - solar charge controller with nightlight function 12/24V 20/20A - 80x100x32mm	1-2 weeks	67,00	56,30	53,49	50,67	47,86
41008	CX10 - solar charge controller with LC display - 12/24V 10/10A - 89x90x39mm	1-2 weeks	46,70	39,24	37,28	35,32	33,36
41009	CX20 - solar charge controller with LC display - 12/24V 20/20A - 89x90x39mm	1-2 weeks	67,40	56,64	53,81	50,97	48,14
41010	CX40 - solar charge controller with LC display - 12/24V 40/40A - 89x90x39mm	1-2 weeks	106,10	89,16	84,70	80,24	75,79
41024	CXN10 - charge controller with negative grounding -12/24V 10/10A - 89x90x39mm	1-2 weeks	56,00	47,06	44,71	42,35	40,00
41025	CXN20 - charge controller with negative grounding -12/24V 20/20A - 89x90x39mm	1-2 weeks	76,20	64,03	60,83	57,63	54,43
41026	CXN40 - charge controller with negative grounding -12/24V 40/40A - 89x90x39mm	1-2 weeks	114,90	96,55	91,73	86,90	82,07
41027	PL20 - energy system controller - 20/20A - 100x109x41mm	1-2 weeks	324,20	272,44	258,82	245,19	231,57

# Let's start - SOLARC!

<b>41028</b>	PL40 - energy system controller - 40/7A - 130x124x50mm	1-2 weeks	395,30	332,18	315,58	298,97	282,36
<b>41029</b>	PL60 - energy system controller - 60/30A - 225x175x62mm	1-2 weeks	618,20	519,50	493,52	467,55	441,57
<b>41014</b>	DCS - linear voltage controller	1-2 weeks	21,30	17,90	17,00	16,11	15,21
<b>41015</b>	DCL - second battery charger / excess energy manager	1-2 weeks	25,90	21,76	20,68	19,59	18,50
<b>41030</b>	BCM - AA battery charger - 12V, 4xAA accus - 80x100x32mm	1-2 weeks	21,30	17,90	17,00	16,11	15,21
<b>41011</b>	CXI - CX USB interface - 59x141x59mm	1-2 weeks	46,70	39,24	37,28	35,32	33,36
<b>41031</b>	CXM - remote display for Phocos CXN charge controllers - 70x67x29mm	1-2 weeks	31,00	26,05	24,75	23,45	22,14
<b>41032</b>	MPPT 100/20 - Maximum Power Point Tracker, 12/24V, 20/0A, max. Panel 100V	1-2 weeks	235,70	198,07	188,16	178,26	168,36
<b>41033</b>	CMM - Remote Display Phocos CA, CML, CML-NL other charge controller on request	1-2 weeks	31,00	26,05	24,75	23,45	22,14
		Info					
<b>DC Lamps Phocos</b>							
<b>42000</b>	CL1209W - CFL lamp 12V 9W warm, V2, OTP, ROHS	1-2 weeks	9,30	7,82	7,42	7,03	5,47
<b>42001</b>	CL1211W - CFL lamp 12V 11W warm, V2, OTP, ROHS other DC lamps on request	1-2 weeks	9,30	7,82	7,42	7,03	5,47
		Info					

All brand and products names featured on these web pages are only displayed for information or explanation purposes and are trademarks or trade names of their respective holders.

Prices apply until release of a new price list.

All prices exclusive of VAT. All prices in EURO!

Errors excepted, prices and technical data subject to change!

By specifying your VAT-ID-number with your order we are entitled to deliver tax-free in accordance with EU-law. Otherwise, German VAT (19%) will be charged.

Delivery: EXW - ex works Berlin, ex charges, duty unpaid.

Payment:

In advance, if not agreed otherwise. In case of an international bank transfer, all banking fees are to be borne by the customer.

The General Terms & Conditions (AGB's) in effect at the time of the order will apply.

banks:

Berliner Volksbank eG

KtoNr. 2003504002 # BLZ 100 900 00 # BIC/SWIFT BEVODEBB # IBAN DE32 1009 0000 2003504002

Deutsche Bank Berlin

KtoNr. 1492230 # BLZ 100 700 00 # BIC/SWIFT DEUTDE33XXX # IBAN DE54 1007 0000 0149223000